

LOADALL | COMPACT AGRICULTURAL RANGE

JCB



STAGE V

MAX POWER
130hp/97kW

MAX LIFT CAPACITY
3000kg

MAX LIFT HEIGHT
6m

BIG POWER FOR SMALL SPACES

JCB has a proven track record of designing and manufacturing world-leading agricultural telescopic handlers. Joining the current 525-60 is the latest new AGRI Loadall model, the 530-60. With compact designs offering greater manoeuvrability, along with unrivalled visibility, reliability, comfort, efficiency and of course superb build quality, these Loadalls are built for maximum productivity on any farm.



BIG PRODUCTIVITY

Even with a compact design, the 525-60 and 530-60 AGRI Loadalls are true 6m machines, delivering maximum productivity in small spaces around the farm.



GREATER MANOEUVRABILITY

2 speed hydrostatic transmissions make it easy for operators to achieve precise movements in tight spaces.



BIG EFFICIENCY

The 525-60 and 530-60 Loadalls have engines and transmissions that are designed for highly demanding agricultural needs.



CONSTANT IMPROVEMENT

Since 1977, JCB has constantly developed greater efficiency into JCB Loadall hydraulic and engine systems.

BIG QUALITY

Pump and motor transmission units create a simple, precise driveline with increased pushing power, designed to deliver when working with muck and litter in sheds.



BUILT TO LAST

Using advanced production processes and premium componentry, Loadalls are renowned for their build quality and reliability.



BIG COMFORT

Accommodating operator preferences, the 525-60 and 530-60 have an ergonomic and comfortable design for long hours working on the farm.



ENHANCED OPERATOR VISIBILITY

Split stable door, tinted cab glass and new and improved mirrors, boost all-round visibility.

BIG SUPPORT

Our patented Adaptive Load Control System allows the operator to drive seamlessly without hindering productivity and ensuring stability.



SAFE AT ALL TIMES

Our cabs are ROPS and FOPS certified, options include heated and air suspension seat plus LED work lights, keeps you comfortably working day and night.



LOADALL | COMPACT AGRICULTURAL RANGE



SPECIFICATION

MODEL		525-60 AGRI	525-60 AGRI PLUS	530-60 AGRI SUPER
Lift height	m	6	6	6.09
Lift capacity	kg	2500	2500	3000
Maximum engine power	hp/kW	74/55	74/55	130/97
Maximum speed	kph	25	30	40
Lift capacity at full height	kg	1750	1750	2000
Lift capacity at full reach	kg	800	800	1250
Overall height (over cab)	m	1.97	1.97	2.02/2.14
Overall width (over tyres)	m	1.84	1.84	2.01 / 2.1



STANDARD FEATURES*

- 3 steer modes
- Wide core cooling pack
- Reverse engine fan
- Single lever joystick
- JCB adaptive load control
- 6x work lights
- Auxiliary hydraulic venting
- JCB VariSpeed
- Smooth Ride Boom Suspension
- JCB LiveLink Telematics

*may be model or territory dependant



BIG POWER FOR SMALL SPACES

[FIND OUT MORE](#)



[REQUEST A QUOTE](#)



 **JCB**



www.jcb.com